Mr. Luke Chapman
City of Delta
Office: 604-946-3290
Cell: 604-356-3705
Email: LChapman@Delta.ca

Re: Arborist Report for a Tree Resource Evaluation at Winskill Park at 5575 9 Ave, Delta, BC V4M 1W1

BC Plant Health Care Inc. has been contracted by Mr. Luke Chapman of the City of Delta to provide an *Arborist Report for a Tree Resource Evaluation* for the trees at the west of Winskill Park at 5575 9 Ave, Delta, BC V4M 1W1.

The following reports were completed:

- *Arborist Report for a Tree Resource Evaluation* dated September 1st, 2020 for the trees at the southwest of Winskill Park
- *Arborist Report for a Tree Resource Evaluation* dated December 14th, 2020 for the trees at the northwest of Winskill Park

John Marsden of BC Plant Health Care Inc. visited Winskill Park and updated the tree inventory in the above *Reports* in June 2024. The following documents were provided to Mr. Luke Chapman of the City of Delta on June 11th, 2024:

- Tree Retention Suitability Map – North
- Tree Retention Suitability Map – South
- Detailed Spreadsheet

Should you have any questions or concerns, please do not hesitate to contact me.

Yours truly,

BC PLANT HEALTH CARE INC.



Kin Cho

ISA Board Certified Master Arborist #HK-1086BM
ISA Certified Arborist Municipal Specialist
ISA Tree Risk Assessment Qualification
Registered Consulting Arborist #845
Registered Professional Forester #5413
Wildlife Dangerous Tree Assessor #P2993
MSFM, MSc, BSSc

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
101	*Salix* sp.	Willow	55	3.30	7	2	>50%	Semi-mature (20-40)	Poor	Decay Epicormics	Low	Poor
105	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	65	3.90	25	7	30-40%	Mature (40+)	Fair	-	Low	Poor
106	*Salix* sp.	Willow	25	1.50	6	0	20-30%	Semi-mature (20-40)	Dying	Decay Fungal fruiting bodies	Low	Poor
107	*Alnus rubra*	Red alder	34	2.04	12	4	>50%	Semi-mature (20-40)	Poor	Decay	Low	Poor
113	*Pinus* sp.	Pine	25	1.50	11	2	>50%	Semi-mature (20-40)	Fair	Topped	Low	Moderate
114	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	36	2.16	20	4	30-40%	Semi-mature (20-40)	Fair	-	Low	Poor
116	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	56	3.36	25	5	20-30%	Mature (40+)	Fair	-	Low	Poor
117	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	30	1.80	20	3	20-30%	Semi-mature (20-40)	Fair	-	Low	Poor
120	*Cercidiphyllum sp.*	Katsura	23	1.38	5	2	>50%	Young (5-20)	Fair	Crossed stems	Low	Moderate
122	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	34	2.04	13	3	>50%	Semi-mature (20-40)	Fair	Broken top	Low	Poor
123	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	60	3.60	5	0	<20%	Mature (40+)	Dead	-	Low	Poor
124	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	85	5.10	35	6	30-40%	Semi-mature (20-40)	Fair	-	Low	Poor
125	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	24	1.44	13	2	30-40%	Semi-mature (20-40)	Fair	-	Low	Poor
126	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	62	3.72	25	6	40-50%	Mature (40+)	Fair	Codominant stems Included bark	Low	Poor
127	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	35	2.10	17	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Poor
128	*Acer macrophyllum*	Big Leaf maple	50	3.00	12	2	>50%	Mature (40+)	Fair	Conflict with fence Ivy on stems	Low	Poor
129	*Acer macrophyllum*	Big Leaf maple	70	4.20	13	5	>50%	Semi-mature (20-40)	Fair	Multiple stems Bark cracks	Low	Poor
130	*Cedrus atlantica*	Atlas cedar	24	1.44	8	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
131	*Cercidiphyllum sp.*	Katsura	35	2.10	5	3	>50%	Young (5-20)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
132	*Acer macrophyllum*	Bigleaf maple	230	13.80	15	10	>50%	Mature (40+)	Fair	Multiple stems Severe decay Previous failure on NE stem	Low	Poor
133 (#332)	*Acer macrophyllum*	Bigleaf maple	103	6.18	12	4	>50%	Mature (40+)	Fair	Basal Decay Deadwood	Low	Poor
134	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	30	1.80	12	3	>50%	Semi-mature (20-40)	Fair	Epicormics	Low	Poor
135	*Salix* sp.	Willow	43	2.58	6	3	>50%	Semi-mature (20-40)	Poor	Codominant stems Decay	Low	Poor
138	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	55	3.30	20	4	30-40%	Mature (40+)	Fair	-	Low	Poor
139	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	60	3.60	30	5	>50%	Mature (40+)	Fair	-	Low	Poor
140	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	31	1.86	10	1	30-40%	Semi-mature (20-40)	Poor	Broken and decaying top	Low	Poor
141	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	136	8.16	30	8	>50%	Mature (40+)	Fair	Multiple stems Broken and delaying stems	Low	Poor
142	*Alnus rubra*	Red alder	33	1.98	12	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
143 (#333)	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	140	8.40	30	6	>50%	Mature (40+)	Fair	Multiple stems Dead branches	Low	Poor
144	*Acer rubrum*	Red Maple	24	1.44	6	5	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
145	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	55	3.30	12	5	>50%	Mature (40+)	Poor	Broken top	Low	Poor
147	*Tilia sp.*	Linden	26	1.56	7	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
154	*Alnus rubra*	Red alder	37	2.22	14	4	>50%	Semi-mature (20-40)	Fair	Canker	Low	Poor
155	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	90	5.40	30	8	>50%	Mature (40+)	Fair	-	Low	Poor
156	*Populus balsamifera* ssp. *trichocarpa*	Black cottonwood	80	4.80	25	8	>50%	Mature (40+)	Fair	-	Low	Poor
157	*Alnus rubra*	Red alder	24	1.44	7	4	>50%	Semi-mature (20-40)	Dying	Decay Dead Top	Low	Poor
166	*Alnus rubra*	Red alder	29	1.74	12	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
168	*Alnus rubra*	Red alder	41	2.46	15	5	>50%	Mature (40+)	Fair	-	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
169	*Alnus rubra*	Red alder	38	2.28	15	6	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
171	*Betula* sp.	Birch	42	2.52	10	7	>50%	Mature (40+)	Dying	Fungal fruiting bodies	Low	Poor
172	*Liquidambar styraciflua*	Sweetgum	26	1.56	7	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
173	*Liquidambar styraciflua*	Sweetgum	21	1.26	7	2	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
174	*Sequoia sempervirens*	Redwood	50	3.00	6	2	>50%	Mature (40+)	Good	-	Low	Good
175	*Sequoia sempervirens*	Redwood	50	3.00	7	2	>50%	Mature (40+)	Good	-	Low	Good
176	*Sequoia sempervirens*	Redwood	50	3.00	6	2	>50%	Mature (40+)	Good	-	Low	Good
177	*Pinus* sp.	Pine	55	3.30	10	3	>50%	Mature (40+)	Fair	Multiple stems Included bark	Low	Moderate
178	*Thuja plicata*	Western redcedar	115	6.90	11	5	>50%	Mature (40+)	Poor	Multiple stems Dying top Topped	Low	Poor
179	*Thuja plicata*	Western redcedar	94	5.64	20	5	>50%	Mature (40+)	Fair	Coppiced	Low	Moderate
180	*Thuja plicata*	Western redcedar	71	4.26	20	4	>50%	Mature (40+)	Fair	-	Low	Moderate
181	*Thuja plicata*	Western redcedar	104	6.24	20	5	>50%	Mature (40+)	Fair	Codominant stems Large basal wound	Low	Poor
182	*Thuja plicata*	Western redcedar	71	4.26	20	5	>50%	Mature (40+)	Fair	-	Low	Moderate
183	*Thuja plicata*	Western redcedar	42	2.52	10	4	>50%	Mature (40+)	Fair	-	Low	Moderate
184	*Thuja plicata*	Western redcedar	49	2.94	15	5	>50%	Mature (40+)	Fair	-	Low	Moderate
185	*Thuja plicata*	Western redcedar	90	5.40	17	5	>50%	Mature (40+)	Fair	Codominant stems Included bark Broken stem	Low	Moderate
187 (#334)	*Thuja plicata*	Western redcedar	60	3.60	17	4	>50%	Mature (40+)	Fair	Conflict with adjacent tree #193	Low	Moderate
188	*Thuja plicata*	Western redcedar	44	2.64	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
190	*Thuja plicata*	Western redcedar	73	4.38	15	5	>50%	Mature (40+)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
191	*Parrotia* sp.	Ironwood	42	2.52	6	4	>50%	Young (5-20)	Fair	-	Low	Moderate
192	*Tilia sp.*	Linden	38	2.28	7	3	>50%	Semi-mature (20-40)	Fair	Codominant stems	Low	Poor
193	*Alnus rubra*	Red alder	50	3.00	15	0	<20%	Mature (40+)	Dead	Conflict with adjacent tree #187 Wildlife stem	Low	Poor
194	*Thuja plicata*	Western redcedar	140	8.40	20	5	>50%	Mature (40+)	Fair	Codominant stems	Low	Moderate
195	*Thuja plicata*	Western redcedar	49	2.94	17	4	>50%	Mature (40+)	Fair	-	Low	Moderate
196	*Thuja plicata*	Western redcedar	138	8.28	12	5	>50%	Mature (40+)	Fair	Topped	Low	Moderate
197	*Thuja plicata*	Western redcedar	73	4.38	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
198	*Acer macrophyllum*	Big Leaf maple	56	3.36	20	5	>50%	Mature (40+)	Fair	Codominant stems	Low	Moderate
199	*Thuja plicata*	Western redcedar	65	3.90	15	5	>50%	Mature (40+)	Fair	-	Low	Moderate
200	*Thuja plicata*	Western redcedar	82	4.92	17	4	>50%	Mature (40+)	Fair	-	Low	Poor
201	*Betula* sp.	Birch	36	2.16	10	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
202 (#335)	*Acer macrophyllum*	Big Leaf maple	70	4.20	17	5	>50%	Mature (40+)	Poor	Dead branches Large Basal Cavity	Low	Poor
203 (#337)	*Thuja plicata*	Western redcedar	70	4.20	17	5	>50%	Mature (40+)	Fair	Coppiced	Low	Moderate
204 (#338)	*Thuja plicata*	Western redcedar	64	3.84	14	4	>50%	Mature (40+)	Fair	-	Low	Moderate
205	*Alnus rubra*	Red alder	91	5.46	14	5	>50%	Mature (40+)	Poor	Crack Canker Lower trunk bend	Low	Poor
206	*Thuja plicata*	Western redcedar	84	5.04	13	3	>50%	Mature (40+)	Fair	-	Low	Moderate
207	*Alnus rubra*	Red alder	44	2.64	13	4	>50%	Mature (40+)	Fair	Trunk bend	Low	Poor
208	*Quercus palustris*	Pin Oak	25	1.50	12	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
209	*Alnus rubra*	Red alder	83	4.98	16	6	>50%	Mature (40+)	Fair	Trunk cavity Codominant stem	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
210 (#339)	*Pseudotsuga menziesii*	Douglas-fir	23	1.38	12	2	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
211	*Alnus rubra*	Red alder	55	3.30	17	6	>50%	Mature (40+)	Fair	-	Low	Poor
212	*Betula* sp.	Birch	43	2.58	17	4	>50%	Mature (40+)	Fair	Broken leader	Low	Poor
213	*Acer macrophyllum*	Big Leaf maple	35	2.10	12	4	>50%	Young (5-20)	Fair	Shared stump with tree 212	Low	Moderate
214	*Betula* sp.	Birch	88	5.28	17	5	>50%	Mature (40+)	Fair	-	Low	Moderate
215	*Alnus rubra*	Red alder	47	2.82	20	5	>50%	Mature (40+)	Fair	Trunk canker Trunk bend	Low	Poor
216	*Betula* sp.	Birch	48	2.88	20	7	30-40%	Mature (40+)	Fair	-	Low	Moderate
217 (#340)	*Thuja plicata*	Western redcedar	76	4.56	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
218	*Betula* sp.	Birch	34	2.04	17	4	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
219	*Thuja plicata*	Western redcedar	35	2.10	17	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
220	*Thuja plicata*	Western redcedar	77	4.62	20	4	>50%	Mature (40+)	Fair	-	Low	Moderate
221	*Thuja plicata*	Western redcedar	72	4.32	20	5	>50%	Mature (40+)	Fair	-	Low	Moderate
222	*Thuja plicata*	Western redcedar	90	5.40	20	5	>50%	Mature (40+)	Fair	-	Low	Moderate
223	*Thuja plicata*	Western redcedar	59	3.54	15	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
224	*Acer circinatum*	Vine Maple	37	2.22	6	5	>50%	Young (5-20)	Fair	Multiple stems Dead branches	Low	Poor
225	*Salix sp.*	Willow	42	2.52	8	5	>50%	Mature (40+)	Fair	Trunk decay damage	Low	Poor
226	*Betula* sp.	Birch	38	2.28	20	5	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
227	*Thuja plicata*	Western redcedar	52	3.12	15	5	>50%	Mature (40+)	Fair	Exposed Deadwood	Low	Moderate
228	*Betula* sp.	Birch	22	1.32	12	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
229	*Thuja plicata*	Western redcedar	58	3.48	15	3	>50%	Mature (40+)	Fair	-	Low	Moderate
230	*Acer* sp.	Maple	86	5.16	25	10	>50%	Mature (40+)	Fair	Dead branches	Low	Poor
231	*Betula* sp.	Birch	43	2.58	15	3	40-50%	Mature (40+)	Fair	-	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
232	*Acer* sp.	Maple	52	3.12	17	4	30-40%	Mature (40+)	Fair	Trunk bend	Low	Poor
233	*Acer* sp.	Maple	57	3.42	20	7	>50%	Mature (40+)	Fair	Dead branches	Low	Moderate
234	*Thuja plicata*	Western redcedar	70	4.20	12	3	>50%	Mature (40+)	Fair	Broken top	Low	Moderate
235	*Acer* sp.	Maple	39	2.34	6	3	>50%	Young (5-20)	Fair	-	Low	Poor
236	*Betula* sp.	Birch	40	2.40	15	3	30-40%	Mature (40+)	Fair	Trunk canker	Low	Poor
237	*Thuja plicata*	Western redcedar	79	4.74	15	6	>50%	Mature (40+)	Fair	-	Low	Moderate
238	*Cedrus atlantica*	Atlas cedar	41	2.46	8	5	>50%	Mature (40+)	Fair	-	Low	Moderate
240	*Thuja plicata*	Western redcedar	56	3.36	13	3	>50%	Mature (40+)	Fair	-	Low	Moderate
241	*Thuja plicata*	Western redcedar	31	1.86	12	3	>50%	Semi-mature (20-40)	Fair	Trunk wound Codominant stems	Low	Moderate
242	*Thuja plicata*	Western redcedar	48	2.88	12	2	>50%	Mature (40+)	Fair	-	Low	Moderate
243	*Acer* sp.	Maple	31	1.86	6	5	>50%	Young (5-20)	Fair	-	Low	Moderate
244	*Thuja plicata*	Western redcedar	114	6.84	17	5	>50%	Semi-mature (20-40)	Fair	Codominant	Low	Moderate
246	*Alnus rubra*	Red alder	43	2.58	9	6	>50%	Mature (40+)	Dying	-	Low	Poor
249	*Alnus rubra*	Red alder	50	3.00	17	5	>50%	Mature (40+)	Fair	Missing top	Low	Poor
251	*Alnus rubra*	Red alder	95	5.70	15	6	>50%	Mature (40+)	Poor	Codominant stems Trunk decay	Low	Poor
252	*Parrotia* sp.	Ironwood	42	2.52	6	3	>50%	Young (5-20)	Good	-	Low	Good
301	*Thuja plicata*	Western red cedar	41	2.46	11	2	>50%	Semi-mature (20-40)	Fair		Low	Moderate
302	*Thuja plicata*	Western red cedar	43	2.58	11	2	>50%	Semi-mature (20-40)	Fair		Low	Moderate
303	*Salix sp.*	Willow	23	1.38	8	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
331	*Acer saccharum*	sugar maple	23	1.38	11	3	>50%	Semi-mature (20-40)	Good		Low	Good
336	*Abies grandis*	Grand Fir	36	2.16	17	2	>50%	Semi-mature (20-40)	Fair		Low	Good
537	*Betula* sp.	Birch	39	2.34	6	2	40-50%	Semi-mature (20-40)	Fair	Decay at pruning wound Dead branch	Low	Poor
538	*Betula* sp.	Birch	28	1.68	8	4	>50%	Semi-mature (20-40)	Fair	Cavity at pruning wound	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
539	*Betula* sp.	Birch	36	2.16	10	5	40-50%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
540	*Pinus* sp.	Pine	33	1.98	12	4	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
541	*Pseudotsuga menziesii*	Douglas-fir	35	2.10	7	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
544	*Alnus rubra*	Red Alder	34	2.04	13	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Poor
545	*Alnus rubra*	Red Alder	49	2.94	13	4	40-50%	Mature (40+)	Fair	Dead branches	Low	Poor
547	*Alnus rubra*	Red Alder	37	2.22	12	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Poor
548	*Alnus rubra*	Red Alder	32	1.92	12	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Poor
549	*Thuja plicata*	Western red cedar	33	1.98	8	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
550	*Thuja plicata*	Western red cedar	27	1.62	9	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
551	*Thuja plicata*	Western red cedar	22	1.32	7	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
552	*Thuja plicata*	Western red cedar	61	3.66	10	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
554	*Alnus rubra*	Red Alder	40	2.40	13	4	30-40%	Mature (40+)	Fair	-	Low	Poor
555	*Betula* sp.	Birch	24	1.44	10	2	20-30%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
556	*Pseudotsuga menziesii*	Douglas-fir	22	1.32	7	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
557	*Betula* sp.	Birch	36	2.16	12	5	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
558	*Thuja plicata*	Western red cedar	66	3.96	12	4	>50%	Mature (40+)	Fair	-	Low	Moderate
559	*Pinus sylvestris*	Scots Pine	27	1.62	6	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
560	*Thuja plicata*	Western red cedar	84	5.04	15	7	>50%	Mature (40+)	Fair	-	Low	Moderate
561	*Thuja plicata*	Western red cedar	42	2.52	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
562	*Thuja plicata*	Western red cedar	88	5.28	15	5	>50%	Mature (40+)	Fair	-	Low	Moderate
563	*Alnus rubra*	Red Alder	44	2.64	14	4	>50%	Mature (40+)	Fair	-	Low	Poor
564	*Thuja plicata*	Western red cedar	42	2.52	12	3	>50%	Mature (40+)	Fair	-	Low	Moderate
565	*Betula* sp.	Birch	36	2.16	13	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
566	*Thuja plicata*	Western red cedar	56	3.36	14	5	>50%	Mature (40+)	Fair	-	Low	Moderate
567	*Betula* sp.	Birch	58	3.48	13	3	40-50%	Semi-mature (20-40)	Fair	Trunk crack	Low	Moderate
568	*Thuja plicata*	Western red cedar	63	3.78	15	6	>50%	Mature (40+)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
569	*Prunus* sp.	Cherry	26	1.56	5	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
570	*Thuja plicata*	Western red cedar	27	1.62	10	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
571	*Thuja plicata*	Western red cedar	54	3.24	13	5	>50%	Mature (40+)	Fair	-	Low	Moderate
572	*Betula* sp.	Birch	33	1.98	12	2	30-40%	Semi-mature (20-40)	Fair	Canker	Low	Poor
573	*Acer macrophyllum*	Bigleaf maple	37	2.22	12	6	30-40%	Semi-mature (20-40)	Fair	Trunk wound(SE aspect)	Low	Poor
574	*Thuja plicata*	Western red cedar	59	3.54	13	5	>50%	Mature (40+)	Fair	-	Low	Moderate
575	*Thuja plicata*	Western red cedar	43	2.58	6	4	>50%	Mature (40+)	Fair	Topped	Low	Poor
576	*Betula* sp.	Birch	76	4.56	12	5	>50%	Semi-mature (20-40)	Fair	Trunk crack Wound	Low	Poor
577	*Thuja plicata*	Western red cedar	37	2.22	13	3	>50%	Semi-mature (20-40)	Fair	Trunk wound	Low	Moderate
578	*Thuja plicata*	Western red cedar	44	2.64	10	5	>50%	Mature (40+)	Fair	-	Low	Moderate
579	*Thuja plicata*	Western red cedar	22	1.32	5	4	>50%	Semi-mature (20-40)	Fair	Topped	Low	Poor
580	*Pinus sylvestris*	Scots Pine	22	1.32	5	3	40-50%	Young (5-20)	Fair	-	Low	Moderate
581	*Thuja plicata*	Western red cedar	22	1.32	9	2	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
582	*Betula* sp.	Birch	29	1.74	11	5	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
583	*Alnus rubra*	Red Alder	51	3.06	12	5	30-40%	Mature (40+)	Fair	-	Low	Poor
584	*Betula* sp.	Birch	46	2.76	12	4	>50%	Mature (40+)	Fair	Trunk cavity	Low	Poor
585	*Thuja plicata*	Western red cedar	44	2.64	13	4	>50%	Mature (40+)	Fair	Basal decay	Low	Poor
586	*Thuja plicata*	Western red cedar	39	2.34	13	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
587	*Thuja plicata*	Western red cedar	56	3.36	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
588	*Thuja plicata*	Western red cedar	23	1.38	9	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
589	*Thuja plicata*	Western red cedar	58	3.48	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
590	*Thuja plicata*	Western red cedar	46	2.76	13	5	>50%	Mature (40+)	Fair	-	Low	Moderate
591	*Thuja plicata*	Western red cedar	39	2.34	15	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
592	*Thuja plicata*	Western red cedar	56	3.36	14	4	>50%	Semi-mature (20-40)	Fair	Codominant	Low	Moderate
593	*Thuja plicata*	Western red cedar	29	1.74	15	4	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
594	*Betula* sp.	Birch	37	2.22	14	5	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
595	*Thuja plicata*	Western red cedar	33	1.98	12	3	>50%	Semi-mature (20-40)	Fair	Shared stump with tree 596	Low	Moderate
596	*Thuja plicata*	Western red cedar	25	1.50	12	3	>50%	Semi-mature (20-40)	Fair	Shared stump with tree 595	Low	Moderate
597	*Alnus rubra*	Red Alder	28	1.68	13	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Poor
598	*Thuja plicata*	Western red cedar	40	2.40	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
599	*Thuja plicata*	Western red cedar	103	6.18	14	5	>50%	Mature (40+)	Fair	-	Low	Moderate
600	*Thuja plicata*	Western red cedar	50	3.00	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
601	*Betula* sp.	Birch	28	1.68	10	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
602	*Thuja plicata*	Western red cedar	31	1.86	10	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
603	*Thuja plicata*	Western red cedar	21	1.26	10	2	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
604	*Acer macrophyllum*	Bigleaf maple	50	3.00	15	6	>50%	Mature (40+)	Fair		Low	Moderate
605	*Thuja plicata*	Western red cedar	55	3.30	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
606	*Thuja plicata*	Western red cedar	50	3.00	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
607	*Thuja plicata*	Western red cedar	47	2.82	13	3	>50%	Mature (40+)	Fair	-	Low	Moderate
608	*Thuja plicata*	Red Alder	36	2.16	4	0	<20%	Semi-mature (20-40)	Dead	Wildlifed	Low	Poor
609	*Thuja plicata*	Western red cedar	36	2.16	4	0	<20%	Semi-mature (20-40)	Dead	Wildlifed	Low	Poor
610	*Thuja plicata*	Western red cedar	49	2.94	12	3	>50%	Mature (40+)	Fair		Low	Moderate
611	*Betula* sp.	Birch	37	2.22	12	3	30-40%	Semi-mature (20-40)	Fair	Canker	Low	Poor
612	*Thuja plicata*	Western red cedar	51	3.06	14	4	>50%	Mature (40+)	Fair	-	Low	Moderate
613	*Thuja plicata*	Western red cedar	23	1.38	10	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
614	*Thuja plicata*	Western red cedar	73	4.38	13	3	>50%	Mature (40+)	Fair	-	Low	Moderate
615	*Thuja plicata*	Western red cedar	36	2.16	3	0	<20%	Semi-mature (20-40)	Dead	Wildlifed	Low	Poor
616	*Thuja plicata*	Western red cedar	54	3.24	6	5	>50%	Mature (40+)	Fair	Topped	Low	Poor
617	*Pseudotsuga menziesii*	Douglas-fir	27	1.62	6	3	30-40%	Semi-mature (20-40)	Fair	Topped	Low	Poor
618	*Alnus rubra*	Red Alder	54	3.24	15	4	>50%	Mature (40+)	Fair	-	Low	Poor
619	*Thuja plicata*	Western red cedar	36	2.16	12	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
620	*Thuja plicata*	Western red cedar	51	3.06	15	5	>50%	Mature (40+)	Fair	Inclusion at 1m	Low	Moderate
621	*Thuja plicata*	Western red cedar	84	5.04	15	5	>50%	Mature (40+)	Fair	-	Low	Moderate
622	*Thuja plicata*	Western red cedar	64	3.84	15	4	>50%	Mature (40+)	Fair	Buttress wound	Low	Moderate
624	*Thuja plicata*	Western red cedar	84	5.04	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
625	*Thuja plicata*	Western red cedar	98	5.88	15	5	>50%	Mature (40+)	Fair	-	Low	Moderate
626	*Thuja plicata*	Western red cedar	63	3.78	6	4	>50%	Mature (40+)	Poor	Topped Cavity	Low	Poor
627	*Alnus rubra*	Red Alder	39	2.34	15	3	20-30%	Semi-mature (20-40)	Fair	-	Low	Poor
628	*Thuja plicata*	Western red cedar	35	2.10	15	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
629	*Thuja plicata*	Western red cedar	24	1.44	9	2	40-50%	Semi-mature (20-40)	Fair	Topped	Low	Poor
630	*Thuja plicata*	Western red cedar	61	3.66	9	5	>50%	Mature (40+)	Fair	Topped	Low	Moderate
632	*Alnus rubra*	Red Alder	37	2.22	12	3	0%	Semi-mature (20-40)	Dead	Dead branches Trunk cavity	Moderate	Poor
633	*Thuja plicata*	Western red cedar	50	3.00	14	3	>50%	Mature (40+)	Fair	-	Low	Moderate
634	*Thuja plicata*	Western red cedar	56	3.36	10	2	>50%	Mature (40+)	Fair	-	Low	Moderate
636	*Thuja plicata*	Western red cedar	72	4.32	10	4	>50%	Mature (40+)	Fair	-	Low	Moderate
637	*Thuja plicata*	Western red cedar	93	5.58	13	5	>50%	Mature (40+)	Fair	-	Low	Moderate
638	*Thuja plicata*	Western red cedar	35	2.10	13	2	20-30%	Semi-mature (20-40)	Fair	Sparse foliage	Low	Poor
644	*Thuja plicata*	Western red cedar	34	2.04	13	2	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
645	*Thuja plicata*	Western red cedar	20	1.20	10	2	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
646	*Thuja plicata*	Western red cedar	29	1.74	10	2	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
647	*Thuja plicata*	Western red cedar	46	2.76	11	4	>50%	Mature (40+)	Fair	-	Low	Moderate
648	*Thuja plicata*	Western red cedar	21	1.26	6	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
649	*Thuja plicata*	Western red cedar	69	4.14	20	6	>50%	Mature (40+)	Fair	Wound	Low	Poor
650	*Thuja plicata*	Western red cedar	27	1.62	10	3	>50%	Semi-mature (20-40)	Fair	Fissure on South aspect	Low	Poor
651	*Alnus rubra*	Red Alder	46	2.76	15	4	>50%	Mature (40+)	Fair	-	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
652	*Thuja plicata*	Western red cedar	21	1.26	5	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
653	*Alnus rubra*	Red Alder	45	2.70	14	5	>50%	Mature (40+)	Fair	-	Low	Poor
654	*Thuja plicata*	Western red cedar	30	1.80	11	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
655	*Thuja plicata*	Western red cedar	28	1.68	12	2	30-40%	Semi-mature (20-40)	Fair	Heavy decline in canopy	Low	Poor
657	*Pseudotsuga menziesii*	Douglas-fir	53	3.18	13	4	40-50%	Mature (40+)	Fair	-	Low	Moderate
659	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	120	7.20	30	8	40-50%	Mature (40+)	Fair	-	Low	Poor
662	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	110	6.60	25	6	40-50%	Mature (40+)	Fair	-	Low	Poor
663	*Thuja plicata*	Western red cedar	49	2.94	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
664	*Thuja plicata*	Western red cedar	57	3.42	12	4	>50%	Mature (40+)	Poor	Sparse foliage	Low	Poor
665	*Alnus rubra*	Red Alder	35	2.10	11	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Poor
666	*Alnus rubra*	Red Alder	24	1.44	12	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
668	*Thuja plicata*	Western red cedar	83	4.98	17	5	>50%	Mature (40+)	Fair	-	Low	Moderate
669	*Thuja plicata*	Western red cedar	29	1.74	6	2	>50%	Semi-mature (20-40)	Fair	Topped	Low	Poor
670	*Thuja plicata*	Western red cedar	47	2.82	14	4	>50%	Mature (40+)	Fair	-	Low	Moderate
671	*Betula* sp.	Birch	53	3.18	12	2	40-50%	Mature (40+)	Fair	-	Low	Moderate
673	*Thuja plicata*	Western red cedar	29	1.74	12	2	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
674	*Alnus rubra*	Red Alder	34	2.04	12	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
675	*Thuja plicata*	Western red cedar	31	1.86	12	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
676	*Alnus rubra*	Red Alder	38	2.28	20	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
677	*Thuja plicata*	Western red cedar	50	3.00	17	4	20-30%	Mature (40+)	Poor	Dead top	Low	Poor
678	*Alnus rubra*	Red Alder	35	2.10	15	3	20-30%	Semi-mature (20-40)	Fair	Small cavity(East aspect)	Low	Poor
679	*Thuja plicata*	Western red cedar	56	3.36	15	3	>50%	Mature (40+)	Fair	-	Low	Moderate
680	*Thuja plicata*	Western red cedar	52	3.12	12	3	>50%	Mature (40+)	Fair	-	Low	Moderate
681	*Betula* sp.	Birch	35	2.10	12	3	>50%	Semi-mature (20-40)	Fair	Inclusion Cavity on west aspect	Low	Poor
682	*Thuja plicata*	Western red cedar	46	2.76	13	3	>50%	Mature (40+)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
683	*Thuja plicata*	Western red cedar	24	1.44	12	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
684	*Pseudotsuga menziesii*	Douglas-fir	48	2.88	14	3	40-50%	Mature (40+)	Fair	Heavy lean	Low	Moderate
685	*Pseudotsuga menziesii*	Douglas-fir	24	1.44	13	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
686	*Thuja plicata*	Western red cedar	42	2.52	13	3	>50%	Mature (40+)	Fair	-	Low	Moderate
687	*Thuja plicata*	Western red cedar	30	1.80	13	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
688	*Thuja plicata*	Western red cedar	26	1.56	12	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
689	*Thuja plicata*	Western red cedar	38	2.28	12	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
690	*Thuja plicata*	Western red cedar	40	2.40	12	3	>50%	Mature (40+)	Fair	Topped	Low	Poor
692	*Thuja plicata*	Western red cedar	40	2.40	7	3	>50%	Mature (40+)	Fair	Topped	Low	Poor
693	*Thuja plicata*	Western red cedar	73	4.38	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
694	*Alnus rubra*	Red Alder	57	3.42	15	3	>50%	Mature (40+)	Fair	-	Low	Poor
695 (#304)	*Thuja plicata*	Western red cedar	59	3.54	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
696	*Thuja plicata*	Western red cedar	74	4.44	12	3	>50%	Mature (40+)	Fair	Canker Exposed dead wood	Low	Moderate
697	*Betula* sp.	Birch	26	1.56	13	2	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
698	*Alnus rubra*	Red Alder	40	2.40	20	3	>50%	Mature (40+)	Fair	-	Low	Poor
699	*Betula* sp.	Birch	28	1.68	13	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
700 (#305)	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	109	6.54	35	10	40-50%	Mature (40+)	Fair	-	Low	Poor
701	*Thuja plicata*	Western red cedar	44	2.64	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
702	*Thuja plicata*	Western red cedar	47	2.82	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
703	*Thuja plicata*	Western red cedar	90	5.40	10	4	>50%	Mature (40+)	Fair	-	Low	Moderate
704 (#306)	*Alnus rubra*	Red Alder	54	3.24	6	3	30-40%	Mature (40+)	Dying	Dead snag and stump remaining	Low	Poor
705	*Alnus rubra*	Red Alder	20	1.20	12	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
706	*Alnus rubra*	Red Alder	37	2.22	15	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
707	*Alnus rubra*	Red Alder	22	1.32	6	3	>50%	Semi-mature (20-40)	Fair	Missing top	Low	Poor
708	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	99	5.94	35	10	40-50%	Mature (40+)	Fair	-	Low	Poor
709	*Acer rubrum*	Red maple	20	1.20	10	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
710	*Betula* sp.	Birch	20	1.20	12	2	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
711	*Betula* sp.	Birch	36	2.16	12	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
712	*Alnus rubra*	Red Alder	73	4.38	17	4	>50%	Mature (40+)	Fair	-	Low	Poor
713	*Alnus rubra*	Red Alder	24	1.44	10	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
714	*Alnus rubra*	Red Alder	37	2.22	15	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
715	*Betula* sp.	Birch	36	2.16	13	1	20-30%	Semi-mature (20-40)	Fair	Dead branches	Low	Poor
716	*Betula* sp.	Birch	27	1.62	4	0	<20%	Semi-mature (20-40)	Dead	wildlife snag	Low	Poor
717	*Thuja plicata*	Western red cedar	41	2.46	12	3	>50%	Mature (40+)	Fair	-	Low	Moderate
718	*Betula* sp.	Birch	29	1.74	13	2	20-30%	Semi-mature (20-40)	Fair	-	Low	Moderate
720	*Betula* sp.	Birch	30	1.80	13	2	20-30%	Semi-mature (20-40)	Fair	-	Low	Moderate
721	*Betula* sp.	Birch	27	1.62	14	2	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
722	*Thuja plicata*	Western red cedar	75	4.50	14	5	>50%	Mature (40+)	Fair	-	Low	Moderate
723	*Betula* sp.	Birch	69	4.14	14	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
724	*Thuja plicata*	Western red cedar	36	2.16	15	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
726	*Thuja plicata*	Western red cedar	35	2.10	13	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
727	*Thuja plicata*	Western red cedar	71	4.26	17	4	>50%	Mature (40+)	Fair	-	Low	Moderate
728	*Thuja plicata*	Western red cedar	30	1.80	12	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
729	*Quercus rubra*	Red oak	22	1.32	13	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
730	*Betula* sp.	Birch	28	1.68	17	2	20-30%	Semi-mature (20-40)	Poor	-	Low	Poor
731	*Betula* sp.	Birch	32	1.92	15	2	20-30%	Semi-mature (20-40)	Fair	Trunk decay	Low	Poor
732	*Thuja plicata*	Western red cedar	47	2.82	16	3	>50%	Mature (40+)	Fair	-	Low	Moderate
733	*Thuja plicata*	Western red cedar	82	4.92	17	4	>50%	Mature (40+)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
734	*Betula* sp.	Birch	42	2.52	15	2	20-30%	Semi-mature (20-40)	Fair	Trunk canker	Low	Poor
735	*Thuja plicata*	Western red cedar	36	2.16	11	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
736	*Thuja plicata*	Western red cedar	30	1.80	10	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
737	*Thuja* sp.	Western red cedar	80	4.80	14	3	>50%	Mature (40+)	Fair	-	Low	Moderate
740	*Betula* sp.	Birch	35	2.10	10	2	30-40%	Semi-mature (20-40)	Poor	Missing top	Low	Poor
741	*Betula* sp.	Birch	30	1.80	11	2	0%	Semi-mature (20-40)	Dead	Fungal fruiting bodies	Low	Poor
742	*Betula* sp.	Birch	30	1.80	9	2	>50%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
743	*Betula* sp.	Birch	30	1.80	10	2	20-30%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
744	*Betula* sp.	Birch	45	2.70	16	3	20-30%	Semi-mature (20-40)	Fair	-	Low	Moderate
745 (#307)	*Betula* sp.	Birch	85	5.10	17	4	30-40%	Semi-mature (20-40)	Fair	Dead stem(removed)	Low	Poor
746	*Alnus rubra*	Red Alder	34	2.04	20	2	40-50%	Semi-mature (20-40)	Fair	-	Low	Poor
747	*Alnus rubra*	Red Alder	23	1.38	12	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
749	*Betula* sp.	Birch	46	2.76	20	5	30-40%	Mature (40+)	Fair	Basal decay Wound on south aspect	Low	Poor
750	*Thuja plicata*	Western red cedar	66	3.96	20	5	>50%	Mature (40+)	Fair	-	Low	Moderate
751	*Betula* sp.	Birch	27	1.62	20	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
752	*Betula* sp.	Birch	53	3.18	15	3	20-30%	Semi-mature (20-40)	Fair	-	Low	Moderate
753	*Betula* sp.	Birch	42	2.52	13	2	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
754	*Betula* sp.	Birch	34	2.04	17	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
755	*Betula* sp.	Birch	35	2.10	17	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
756	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	64	3.84	30	6	30-40%	Mature (40+)	Fair	-	Low	Poor
757	*Alnus rubra*	Red Alder	35	2.10	6	5	30-40%	Semi-mature (20-40)	Fair	Trunk decay	Low	Poor
758	*Alnus rubra*	Red Alder	34	2.04	15	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
759	*Alnus rubra*	Red Alder	26	1.56	15	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
761	*Alnus rubra*	Red Alder	86	5.16	15	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
762	*Alnus rubra*	Red Alder	30	1.80	11	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
763 (#308)	*Thuja plicata*	Western red cedar	63	3.78	20	6	>50%	Mature (40+)	Fair	-	Low	Moderate
764	*Alnus rubra*	Red Alder	129	7.74	15	4	>50%	Mature (40+)	Fair	-	Low	Poor
765	*Alnus rubra*	Red Alder	52	3.12	14	3	0%	Mature (40+)	Dead	Wildlife snag	Low	Poor
766	*Alnus rubra*	Red Alder	45	2.70	20	5	>50%	Mature (40+)	Fair	-	Low	Poor
767	*Betula* sp.	Birch	35	2.10	10	2	>50%	Semi-mature (20-40)	Poor	Topped Fungal fruiting bodies	Moderate	Poor
768	*Thuja plicata*	Western red cedar	59	3.54	11	5	>50%	Mature (40+)	Fair	-	Low	Moderate
769	*Thuja plicata*	Western red cedar	85	5.10	18	4	>50%	Mature (40+)	Fair	-	Low	Moderate
770	*Alnus rubra*	Red Alder	33	1.98	15	3	>50%	Semi-mature (20-40)	Fair	Canker	Low	Poor
771	*Alnus rubra*	Red Alder	26	1.56	10	2	40-50%	Semi-mature (20-40)	Fair	-	Low	Poor
772	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	85	5.10	27	6	30-40%	Mature (40+)	Fair	Basal cavity	Low	Poor
773	*Acer macrophyllum*	Bigleaf maple	50	3.00	12	5	>50%	Mature (40+)	Fair	Embedded with fence	Low	Moderate
774	*Alnus rubra*	Red Alder	80	4.80	12	4	>50%	Mature (40+)	Fair	Decaying stem	Low	Poor
775	*Thuja plicata*	Western red cedar	84	5.04	12	3	>50%	Mature (40+)	Fair	-	Low	Moderate
776	*Betula* sp.	Birch	28	1.68	11	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
777	*Pinus* sp.	Pine	20	1.20	3	3	>50%	Semi-mature (20-40)	Fair	Topped	Low	Poor
778	*Thuja plicata*	Western red cedar	34	2.04	10	4	>50%	Semi-mature (20-40)	Fair	Exposed dead wood	Low	Moderate
780	*Thuja plicata*	Western red cedar	34	2.04	12	4	>50%	Semi-mature (20-40)	Fair	Deadwood	Low	Moderate
783	*Cedrus deodara*	Deodar cedar	28	1.68	6	3	>50%	Semi-mature (20-40)	Good	-	Low	Good
784	*Ginkgo biloba*	Ginkgo	20	1.20	6	1	>50%	Semi-mature (20-40)	Good	-	Low	Good
786	*Cedrus deodara*	Deodar cedar	99	5.94	13	8	>50%	Mature (40+)	Good	-	Low	Moderate
788	*Acer circinatum*	Vine maple	22	1.32	3	1	40-50%	Young (5-20)	Fair	-	Low	Moderate
789	*Hamamelis mollis*	Chinese witchhazel	21	1.26	3	3	>50%	Young (5-20)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
790 (#309)	*Acer campestre*	Hedge maple	44	2.64	8	4	>50%	Mature (40+)	Good	-	Low	Good
791	*Ginkgo biloba*	Ginkgo	21	1.26	6	2	>50%	Semi-mature (20-40)	Good	-	Low	Good
792	*Quercus palustris*	Pin oak	45	2.70	9	5	>50%	Mature (40+)	Good	-	Low	Good
793	*Quercus palustris*	Pin oak	37	2.22	7	4	>50%	Semi-mature (20-40)	Good	-	Low	Good
794	*Picea pungens*	Blue spruce	62	3.72	7	3	>50%	Semi-mature (20-40)	Good	-	Low	Good
795	*Thuja plicata*	Western red cedar	50	3.00	12	3	20-30%	Mature (40+)	Dying	Dead top Wound/Basal Wound	Moderate	Poor
796	*Thuja plicata*	Western red cedar	57	3.42	12	3	>50%	Mature (40+)	Fair	Dead branches	Low	Moderate
797	*Thuja plicata*	Western red cedar	56	3.36	13	3	>50%	Mature (40+)	Fair	-	Low	Moderate
798	*Thuja plicata*	Western red cedar	71	4.26	16	5	>50%	Mature (40+)	Fair	Basal Wound	Low	Moderate
799 (#310)	*Thuja plicata*	Western red cedar	67	4.02	14	4	>50%	Mature (40+)	Fair	-	Low	Moderate
800	*Thuja plicata*	Western red cedar	78	4.68	13	5	>50%	Mature (40+)	Fair	-	Low	Poor
801	*Thuja plicata*	Western red cedar	92	5.52	14	5	>50%	Mature (40+)	Fair	-	Low	Moderate
802	*Thuja plicata*	Western red cedar	63	3.78	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
803	*Thuja plicata*	Western red cedar	78	4.68	14	5	>50%	Mature (40+)	Fair	-	Low	Moderate
804	*Thuja plicata*	Western red cedar	82	4.92	13	5	>50%	Mature (40+)	Fair	-	Low	Moderate
805	*Thuja plicata*	Western red cedar	64	3.84	13	4	>50%	Mature (40+)	Fair	Wound	Low	Moderate
806	*Thuja plicata*	Western red cedar	65	3.90	14	5	>50%	Mature (40+)	Fair	-	Low	Moderate
807	*Thuja plicata*	Western red cedar	54	3.24	14	3	>50%	Mature (40+)	Fair	Exposed dead wood	Low	Poor
808	*Thuja plicata*	Western red cedar	68	4.08	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
809	*Thuja plicata*	Western red cedar	59	3.54	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
810	*Thuja plicata*	Western red cedar	81	4.86	13	5	>50%	Mature (40+)	Fair	-	Low	Moderate
811	*Thuja plicata*	Western red cedar	79	4.74	15	4	>50%	Mature (40+)	Fair	-	Low	Moderate
812	*Thuja plicata*	Western red cedar	68	4.08	12	4	>50%	Mature (40+)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
813	*Thuja plicata*	Western red cedar	70	4.20	13	4	>50%	Mature (40+)	Fair	-	Low	Moderate
814	*Thuja plicata*	Western red cedar	67	4.02	12	4	>50%	Mature (40+)	Fair	-	Low	Moderate
815 (#311)	*Thuja plicata*	Western red cedar	71	4.26	13	5	>50%	Mature (40+)	Fair	Buttress wound	Low	Moderate
816	*Alnus rubra*	Red Alder	43	2.58	10	4	40-50%	Mature (40+)	Poor	Dead top	Low	Poor
817	*Alnus rubra*	Red Alder	48	2.88	15	3	40-50%	Mature (40+)	Poor	Dead top	Low	Poor
818	*Alnus rubra*	Red Alder	60	3.60	13	4	40-50%	Mature (40+)	Poor	Dead top Topped	Low	Poor
819	*Thuja plicata*	Western red cedar	63	3.78	14	4	>50%	Mature (40+)	Poor	Top in heavy decline	Low	Poor
820	*Thuja plicata*	Western red cedar	60	3.60	13	5	40-50%	Mature (40+)	Poor	Dead top	Low	Poor
822	*Thuja plicata*	Western red cedar	27	1.62	12	3	40-50%	Semi-mature (20-40)	Poor	-	Low	Poor
823	*Alnus rubra*	Red Alder	45	2.70	15	3	>50%	Mature (40+)	Fair	Hanger	Low	Poor
824	*Thuja plicata*	Western red cedar	35	2.10	12	3	>50%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
825	*Thuja plicata*	Western red cedar	40	2.40	11	4	>50%	Mature (40+)	Fair	-	Low	Moderate
826	*Thuja plicata*	Western red cedar	57	3.42	10	3	>50%	Semi-mature (20-40)	Fair	Deadwood	Low	Moderate
829	*Thuja plicata*	Western red cedar	54	3.24	12	5	30-40%	Mature (40+)	Poor	Topped Declining top	Low	Poor
831	*Thuja plicata*	Western red cedar	65	3.90	13	4	30-40%	Mature (40+)	Poor	Dead top	Low	Poor
832	*Thuja plicata*	Western red cedar	30	1.80	10	2	>50%	Semi-mature (20-40)	Fair	Topped	Low	Moderate
835	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	100	6.00	30	7	>50%	Mature (40+)	Fair	-	Low	Poor
836	*Thuja plicata*	Western red cedar	93	5.58	11	4	>50%	Mature (40+)	Fair	-	Low	Moderate
838 (#312)	*Thuja plicata*	Western red cedar	38	2.28	9	3	30-40%	Semi-mature (20-40)	Fair	Wound	Low	Poor
839	*Thuja plicata*	Western red cedar	47	2.82	10	3	40-50%	Mature (40+)	Fair	-	Low	Moderate
840	*Thuja plicata*	Western red cedar	43	2.58	10	3	>50%	Mature (40+)	Fair	-	Low	Moderate
841	*Thuja plicata*	Western red cedar	42	2.52	10	3	40-50%	Mature (40+)	Fair	Dead top	Low	Moderate


Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
844	*Populus balsamifera* ssp. *trichocarpa*	Cottonwood	150	9.00	35	8	>50%	Mature (40+)	Fair	-	Low	Poor
845	*Pinus* sp.	Pine	27	1.62	10	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
846 (#313)	*Alnus rubra*	Red Alder	32	1.92	10	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Poor
847	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	108	6.48	35	7	>50%	Mature (40+)	Fair	-	Low	Poor
848 (#314)	*Thuja plicata*	Western red cedar	54	3.24	10	0	0%	Mature (40+)	Dead	Wildlife	Low	Poor
849	*Alnus rubra*	Red Alder	31	1.86	13	0	<20%	Semi-mature (20-40)	Dead	-	Low	Poor
850	*Parrotia persica*	Persian ironwood	25	1.50	6	3	>50%	Young (5-20)	Good	-	Low	Good
851	*Thuja plicata*	Western red cedar	40	2.40	10	4	>50%	Mature (40+)	Fair	-	Low	Moderate
852	*Thuja plicata*	Western red cedar	44	2.64	9	2	>50%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
853	*Cercidiphyllum sp.*	Katsura	31	1.86	6	2	>50%	Young (5-20)	Fair	-	Low	Good
854	*Thuja plicata*	Western red cedar	41	2.46	7	3	>50%	Mature (40+)	Fair	-	Low	Moderate
855	*Thuja plicata*	Western red cedar	36	2.16	7	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
856	*Alnus rubra*	Red Alder	47	2.82	9	3	>50%	Mature (40+)	Fair	Trunk wound Decay	Low	Poor
857 (#315)	*Thuja plicata*	Western red cedar	74	4.44	10	3	>50%	Mature (40+)	Fair	-	Low	Moderate
858	*Betula* sp.	Birch	67	4.02	11	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
859	*Betula* sp.	Birch	59	3.54	10	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
860	*Thuja plicata*	Western red cedar	50	3.00	10	3	>50%	Mature (40+)	Fair	-	Low	Moderate
861 (#316)	*Pinus* sp.	Pine	22	1.32	10	0	<20%	Semi-mature (20-40)	Dead	-	Low	Poor
862	*Betula* sp.	Birch	21	1.26	12	2	30-40%	Semi-mature (20-40)	Poor	-	Low	Moderate
863	*Betula* sp.	Birch	69	4.14	12	3	40-50%	Semi-mature (20-40)	Poor	Trunk decay	Low	Poor


Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
864 (#317)	*Thuja plicata*	Western red cedar	77	4.62	12	4	>50%	Mature (40+)	Fair	-	Low	Moderate
865	*Thuja plicata*	Western red cedar	101	6.06	12	3	>50%	Mature (40+)	Fair	-	Low	Moderate
866	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	153	9.18	35	7	>50%	Mature (40+)	Fair	-	Low	Poor
867	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	26	1.56	14	2	>50%	Semi-mature (20-40)	Fair	Hanger	Low	Poor
868	*Alnus rubra*	Red Alder	35	2.10	11	2	40-50%	Young (5-20)	Fair	-	Low	Poor
869	*Betula* sp.	Birch	30	1.80	10	3	20-30%	Semi-mature (20-40)	Dying	Dead top Canker Fungal fruiting bodies	Low	Poor
870	*Thuja plicata*	Western red cedar	62	3.72	10	2	>50%	Mature (40+)	Fair	-	Low	Moderate
871	*Thuja plicata*	Western red cedar	76	4.56	11	3	>50%	Mature (40+)	Fair	-	Low	Moderate
873	*Betula* sp.	Birch	33	1.98	12	3	30-40%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
875	*Alnus rubra*	Red Alder	31	1.86	9	3	<20%	Semi-mature (20-40)	Dead	-	Low	Poor
877 (#318)	*Acer macrophyllum*	Bigleaf maple	20	1.20	10	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
878	*Betula* sp.	Birch	71	4.26	9	5	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
880	*Thuja plicata*	Western red cedar	47	2.82	10	3	>50%	Mature (40+)	Fair	-	Low	Moderate
881	*Betula* sp.	Birch	23	1.38	12	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
882	*Betula* sp.	Birch	30	1.80	13	3	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
883	*Betula* sp.	Birch	59	3.54	12	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
884	*Betula* sp.	Birch	26	1.56	13	2	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
885	*Betula* sp.	Birch	59	3.54	15	3	40-50%	Semi-mature (20-40)	Fair	-	Low	Moderate
887	*Betula* sp.	Birch	22	1.32	8	2	30-40%	Semi-mature (20-40)	Fair	-	Low	Moderate
888	*Thuja plicata*	Western red cedar	48	2.88	10	3	30-40%	Mature (40+)	Poor	Dead top	Low	Poor
889	*Thuja plicata*	Western red cedar	47	2.82	13	3	>50%	Mature (40+)	Fair	-	Low	Moderate
891	*Thuja plicata*	Western red cedar	38	2.28	11	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
892 (#319)	*Betula* sp.	Birch	110	6.60	12	4	>50%	Mature (40+)	Fair	Dead stem(removed)	Low	Poor
893 (#320)	*Thuja plicata*	Western red cedar	70	4.20	2	0	<20%	Mature (40+)	Dead	Wildlifed	Low	Poor
894	*Acer macrophyllum*	Bigleaf maple	101	6.06	13	5	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
895	*Acer macrophyllum*	Bigleaf maple	34	2.04	13	5	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
896	*Betula* sp.	Birch	24	1.44	13	2	20-30%	Semi-mature (20-40)	Fair	-	Low	Moderate
897	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	130	7.80	35	7	40-50%	Mature (40+)	Fair	-	Low	Poor
898	*Alnus rubra*	Red Alder	45	2.70	10	5	>50%	Mature (40+)	Fair	-	Low	Poor
899	*Thuja plicata*	Western red cedar	45	2.70	11	4	>50%	Mature (40+)	Fair	-	Low	Moderate
900	*Acer circinatum*	Vine maple	52	3.12	6	2	>50%	Young (5-20)	Fair	-	Low	Moderate
901	*Betula* sp.	Birch	21	1.26	11	2	30-40%	Semi-mature (20-40)	Poor	Trunk decay	Low	Poor
902	*Acer platanoides*	Norway maple	21	1.26	8	3	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
903	*Thuja plicata*	Western red cedar	83	4.98	12	5	>50%	Mature (40+)	Fair	-	Low	Moderate
907 (#321)	*Betula* sp.	Birch	59	3.54	8	1	30-40%	Semi-mature (20-40)	Dying	Dead stems(removed)	Low	Poor
908	*Alnus rubra*	Red Alder	45	2.70	10	3	>50%	Mature (40+)	Fair	-	Low	Poor
909	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	150	9.00	35	8	40-50%	Mature (40+)	Fair	Weeping trunk cavity	Low	Poor
910	*Alnus rubra*	Red Alder	61	3.66	12	3	>50%	Mature (40+)	Fair	-	Low	Poor
911 (#322)	*Alnus rubra*	Red Alder	20	1.20	5	0	<20%	Semi-mature (20-40)	Dead	Wildlife snag	Low	Poor
912	*Betula* sp.	Birch	20	1.20	7	1	20-30%	Semi-mature (20-40)	Dying	-	Low	Poor
913	*Betula* sp.	Birch	23	1.38	9	2	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
914	*Betula* sp.	Birch	52	3.12	11	3	>50%	Semi-mature (20-40)	Fair	Deadwood	Low	Poor
915	*Betula* sp.	Birch	32	1.92	8	2	>50%	Semi-mature (20-40)	Fair	Missing top	Low	Poor
916	*Betula* sp.	Birch	32	1.92	12	2	30-40%	Semi-mature (20-40)	Poor	Dead top	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
917	*Betula* sp.	Birch	38	2.28	4	0	<20%	Semi-mature (20-40)	Dead	Dead snag with fungal fruiting bodies	Low	Poor
918	*Alnus rubra*	Red Alder	45	2.70	10	0	<20%	Mature (40+)	Dead	Dead snag with fungal fruiting bodies	Moderate	Poor
919	*Alnus rubra*	Red Alder	42	2.52	8	3	40-50%	Mature (40+)	Poor	Missing top Trunk decay	Low	Poor
920	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	60	3.60	35	5	>50%	Mature (40+)	Fair	-	Low	Poor
921	*Betula* sp.	Birch	37	2.22	12	2	>50%	Semi-mature (20-40)	Fair	Dead top	Low	Poor
922	*Thuja plicata*	Western red cedar	104	6.24	12	3	>50%	Mature (40+)	Fair	-	Low	Moderate
923	*Parrotia persica*	Persian ironwood	51	3.06	7	4	>50%	Semi-mature (20-40)	Good	-	Low	Good
924	*Alnus rubra*	Red Alder	58	3.48	7	3	>50%	Semi-mature (20-40)	Poor	Basal decay	Low	Poor
925	*Tilia* sp.	Linden	30	1.80	7	3	>50%	Semi-mature (20-40)	Good	-	Low	Moderate
926	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	65	3.90	20	3	>50%	Mature (40+)	Fair	-	Low	Poor
927	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	120	7.20	27	7	>50%	Mature (40+)	Fair	-	Low	Poor
928	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	100	6.00	20	5	>50%	Mature (40+)	Fair	Trunk wound	Low	Poor
929	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	80	4.80	25	5	>50%	Mature (40+)	Fair	-	Low	Poor
930	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	60	3.60	25	4	>50%	Mature (40+)	Fair	-	Low	Poor
931	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	50	3.00	13	3	>50%	Mature (40+)	Fair	Missing top	Low	Poor
932	*Alnus rubra*	Red Alder	30	1.80	8	2	40-50%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
933 (#323)	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	100	6.00	30	6	>50%	Mature (40+)	Fair	-	Low	Poor
934	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	52	3.12	23	3	>50%	Mature (40+)	Fair	-	Low	Poor
935	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	110	6.60	25	6	>50%	Mature (40+)	Fair	-	Low	Poor
936 (#324)	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	90	5.40	30	5	>50%	Mature (40+)	Fair	-	Low	Poor
937	*Populus balsamifera* ssp. *trichocarpa*	Black Cottonwood	70	4.20	25	5	>50%	Mature (40+)	Fair	-	Low	Poor
938	*Alnus* sp.	Red Alder	40	2.40	5	3	>50%	Semi-mature (20-40)	Fair	Basal cavity	Low	Poor

Tree ID	Botanical Name	Common Name	DBH (cm)	CRZ Radius from Trunk (m)	Estimated Height (m)	Estimated Dripline Radius (m)	Live Crown Ratio	Age	Health Condition	Defects	Tree Risk	Retention Suitability
941 (#325)	*Acer rubrum*	Red maple	29	1.74	10	4	>50%	Semi-mature (20-40)	Fair	-	Low	Moderate
945 (#326)	*Betula* sp.	Birch	34	2.04	11	2	20-30%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
950 (#327)	*Alnus rubra*	Red Alder	49	2.94	13	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
951 (#328)	*Alnus rubra*	Red Alder	35	2.10	13	3	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
952	*Alnus rubra*	Red Alder	33	1.98	15	3	20-30%	Semi-mature (20-40)	Poor	-	Low	Poor
953	*Alnus rubra*	Red Alder	29	1.74	10	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
954	*Alnus rubra*	Red Alder	51	3.06	12	4	>50%	Mature (40+)	Fair	-	Low	Poor
957	*Alnus rubra*	Red Alder	37	2.22	17	3	30-40%	Semi-mature (20-40)	Fair	Dead top	Low	Poor
960 (#329)	*Alnus rubra*	Red Alder	69	4.14	12	2	>50%	Semi-mature (20-40)	Poor	Dead top	Low	Poor
967	*Alnus rubra*	Red Alder	24	1.44	11	2	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
971	*Alnus rubra*	Red Alder	38	2.28	12	3	>50%	Semi-mature (20-40)	Fair	Dieback	Low	Poor
972	*Alnus rubra*	Red Alder	41	2.46	12	3	<20%	Mature (40+)	Dying	Dead top	Low	Poor
973	*Alnus rubra*	Red Alder	42	2.52	8	3	>50%	Mature (40+)	Fair	-	Low	Poor
974	*Alnus rubra*	Red Alder	39	2.34	11	4	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
975	*Alnus rubra*	Red Alder	23	1.38	10	2	>50%	Semi-mature (20-40)	Fair	-	Low	Poor
976	*Alnus rubra*	Red Alder	44	2.64	10	3	40-50%	Mature (40+)	Poor	Severe trunk decay Dead branches	Moderate	Poor
977 (#330)	*Alnus rubra*	Red Alder	42	2.52	9	4	>50%	Mature (40+)	Fair	-	Low	Poor





Suitability for retention is categorized into the following [3] classes:

Good - Trees in this category are in good health and structural stability and have the potential for longevity at the site.

Moderate - Trees in this category are in fair health and/or have structural defects that may be mitigated with treatment. These trees may require more intense management and monitoring and may have shorter lifespans than those in the "good" category.

Poor - Trees in this category are in poor health or have significant defects in structure that cannot be mitigated with treatment. These trees can be expected to decline regardless of management. The species or individual tree may possess characteristics that are incompatible or undesirable in landscape settings or be unsuited for the intended use of the site.

Drawing No.	**Sheet Title**	**Project Title**	**Project Address**
1 of 2	Tree Retention Suitability Map - North	Arborist Report for a Tree Resource Evaluation	Winskill Park - 5575 9 Ave, Delta
		Project No.	**Client Name**
Page 1 of 2	**Revision No.** 1	City of Delta 20201202-1 PO 2097915	Mr. Luke Chapman
		Revision Date	June 11th, 2024

0 10 20
Meters

Kin Cho
ISA Board Certified Master Arborist #HK-1086BM
ISA Certified Arborist Municipal Specialist
ISA Tree Risk Assessment Qualification
Wildlife Dangerous Tree Assessor #P2993
Registered Professional Forester #5413
MSFM, MSc, BSSc

BC Plant Health Care Inc.
18465 53rd Avenue, Surrey, BC.
P: 604-575-8727
F: 604-576-2972
E: info@bcplanthealthcare.com
24 Hour Emergency Pager: 604-607-1616

LEGEND

101	Tree Reference
G	Retention Suitability - Good
M	Retention Suitability - Moderate
P	Retention Suitability - Poor

NORTH

SOUTH

Suitability for retention is categorized into the following [3] classes:

Good - Trees in this category are in good health and structural stability and have the potential for longevity at the site.

Moderate - Trees in this category are in fair health and/or have structural defects that may be mitigated with treatment. These trees may require more intense management and monitoring and may have shorter lifespans than those in the "good" category.

Poor - Trees in this category are in poor health or have significant defects in structure that cannot be mitigated with treatment. These trees can be expected to decline regardless of management. The species or individual tree may possess characteristics that are incompatible or undesirable in landscape settings or be unsuited for the intended use of the site.

Drawing No.	Sheet Title		Project Title	Project Address
2 of 2	Tree Retention Suitability Map - South		Arborist Report for a Tree Resource Evaluation	Winskill Park - 5575 9 Ave, Delta
			Project No.	Client Name
Page 2 of 2	Revision No.	1	City of Delta 20201202-1 PO 2097915	Mr. Luke Chapman

0 10 20
Meters

Revision Date: June 11th, 2024

Kin Cho
ISA Board Certified Master Arborist #HK-1086BM
ISA Certified Arborist Municipal Specialist
ISA Tree Risk Assessment Qualification
Wildlife Dangerous Tree Assessor #P2993
Registered Professional Forester #5413
MSFM, MSc, BSSc

BC Plant Health Care Inc.
18465 53rd Avenue, Surrey, BC.
P: 604-575-8727
F: 604-576-2972
E: info@bcplanthealthcare.com
24 Hour Emergency Pager: 604-607-1616

LEGEND

101	Tree Reference	G	Retention Suitability - Good
		M	Retention Suitability - Moderate
		P	Retention Suitability - Poor